آغ خان يونيور سٹي ہے۔ پتال

The Aga Khan University Hospital Clinical Laboratories

## **Specimen Collection and Transportation Information**

Test Name	Mnemonic	Section	Specimen Type
Hepatitis B surface Antibody	HEPSAB	Clinical Chemistry	Serum

- **Preparation of the Patient:** Not required
- **Type of Collection Container:** Plain/Gel tube
- Types and Amounts of Preservatives or Anticoagulants: Not required
- Quantity of Specimen to be Collected: 3 -5cc
  - Minimum Quantity: 3cc
- Transportation Temperature: 18-25°C
- Need for Special Timing for Collection (where applicable): Not applicable
- Specimen Stability Information: Stable for 8 hours at room temperature 18-25°C If not completed within 48 hours then store at2-8° C
- Special Instruction: Not required
- **Rejection Criteria:** Wrong tube, Quantity not sufficient, Hemolysis, Wrong Identification
- Need for Appropriate Clinical Data, When Indicated (Patient history): Not Required

Methodology	Reporting Scheme	Day Performed	Cut Off Time Main Lab	Cut Off Time Karachi Points	Cut Off Time Out of Karachi Points
Chemiluminescence	Daily Monday to Saturday	Daily	12:00pm	12:00pm	12:00pm

## Page ${\bf 1}$ of ${\bf 1}$

Approved by Service Line Chief and Director Dr. Farooq Ghani dated 1<sup>st</sup> April, 2016 Controlled Document Original/Copy#: 01/2016