



آغا خان یونیورسٹی ہسپتال

The Aga Khan University Hospital
Clinical Laboratories

Specimen Collection and Transportation Information

Test Name	Mnemonic	Section	Specimen Type
Anti-Thyroid Peroxidase	Anti-TPO	Clinical Chemistry	Serum

- **Preparation of the Patient:** Not required
- **Type of Collection Container:** Plain/Gel tube
- **Types and Amounts of Preservatives or Anticoagulants:** Not required
- **Quantity of Specimen to be Collected:** 3 -5cc
 - **Minimum Quantity:** 3cc
- **Transportation Temperature:** 18-25°C
- **Need for Special Timing for Collection (where applicable):** Not applicable
- **Specimen Stability Information:** Stable for 8 hours at 18-25°C
- **For longer period store at :** -20°C
- **Special Instruction:** Not required
- **Rejection Criteria:** Wrong tube, Quantity not sufficient, Hemolysis, Wrong Identification
- **Need for Appropriate Clinical Data, When Indicated (Patient history):** Not Required

Methodology	Reporting Scheme	Day Performed	Cut Off Time Main Lab	Cut Off Time Karachi Points	Cut Off Time Out of Karachi Points
Chemiluminiscence	Daily Monday, Thursday and Saturday	Daily	11:00am	11:00am	11:00am